


Welcome!

Northwood is pleased to introduce to you the 2009 Nash Fifth Wheels & Travel Trailers. With 17 plans to choose from, there is a Nash Travel Trailer or 5th Wheel to fit the needs of nearly every RV buyer. Whether you're in the market for a compact travel trailer or a spacious 5th wheel, the Nash offers a wide variety of features and options sure to satisfy your

needs. That's because The Nash was designed with the informed RV purchaser in mind.

We invite you to take a look and you'll see why Nash is the RV of choice for the value minded buyer, and why the Nash is known as "Practical, Comfortable and Off Road Tough".



Kitchen:

Nash 5th-Wheels and Travel Trailers offer a spacious galley work area for food preparation. All coaches feature an extra large range with a 22" oven and range hood with overhead light and exhaust fan. All galleys feature



a microwave oven. Self edge counters and dinette are standard, and a free-standing 4 chair dinette is a popular option available in some models. We provide ample storage in overhead cabinets, under counter cabinets, shelves, and drawers. Nash Travel Trailers and 5th-Wheels are rated among the safest and most durable coaches in their class. Whether you're hunting, camping, working or adventuring, you'll find every floor plan is innovative, practical and comfortable.

Slide Rooms:

Super slide models come with a jackknife sofa or optional hide-a-bed and a dinette that converts into an additional sleeping area or a free standing 4 chair dinette. Our Slide rooms travel on electric driven heavy duty rack and pinion rams and have 4 individual seals that maintain a seal when open, closed, and even while in transition.



Comfortable:

You'll be assured of a restful night's sleep in your Nash. All mattresses are deluxe queen size. Bedrooms include coordinated bedspreads and window treatments, plenty of storage cabinets and a large underbed storage area in most models. Nash bedrooms also feature overhead cabinet doors and optional twin beds are also available in the 26X, 21-5R, 23-5A and 24-5N models. You will find many other residential features in the Nash offering you all the comforts of home.



Exterior:

The Northwood roof truss system bonds exterior plywood decking to the trusses as a unified structure that is amazingly strong yet light weight. All Nash models feature rigid fiberglass exterior siding that looks great and is durable and easy to maintain. The diamond plate front rock guard and rear bumper wrap are tough, attractive and built to last. The Nash is quality materials and construction from start to finish!

Safety:

The Nash has one of the highest highway safety ratings in the industry today, and all Nash 5th wheels and travel trailers are equipped with retractable, non-skid, double or triple steps for safe, easy access.

Confidence:

Beyond it's features, Nash has built it's reputation on quality materials and solid construction methods. Because the Nash is so durable, satisfied owners are pleased to discover how well the Nash maintains it's resale value ... if you're ever willing to turn loose of one!

Beauty: It's more than skin deep!



Superior Frames:

At first glance, it might seem strange to include a picture of a steel I-Beam in our brochure, but we know that our chassis' are gorgeous! *Everything* rides on the quality of your chassis and suspension and **Nash builds the best!** Look underneath the coach and see for yourself, your family's safety is secure in the Nash. You'll feel the difference that a quality chassis, larger axles, bigger brakes and optional all wheel shocks will make



as you travel down the road or when you get adventurous and take your Nash off road.

Heavy Guage Structural Steel I-Beam Main Rail

Four Star Rating:*

RV Consumer Group has given the Nash consistent high marks of Value, Reliability and Highway Control. The Nash is engineered for Safer Travel! Because our chassis are so solid, you will feel the difference when towing your Nash down the highway.




* Average rating of all models for Value, Reliability, and Highway Control (Independent non-profit rating organization)

The Nash will go where competitors fear to tread!




Nash Travel Trailer Floor Plans:

Model 17C



Model 19B




Efficient:

Just like home, the forced air ducted heating and cooling systems in your Nash provide fast winter warm-up and quick summer cool down.

The heating system also circulates warm air to our '4-Season' fully enclosed & insulated holding tanks (all models except the 17C). The Nash is a big seller in cold Northern climates. All Nash's come standard with R18 insulation in the roof and R7 insulation in the walls. Thermal pane windows are available on all Nash's and so are storm windows.

All Nash's are equipped with a Charge Wizard battery management system to maximize your battery performance and all LPG tanks are connected through an auto change-over regulator to switch from the empty tank to the full supply when the first is emptied.

Model 22H






Model 22GQ





SWIVEL CHAIR OPTION Available in the 25R & 25S





Model 25S







Features:

Every Nash includes a quick winterization system, all wheel brakes, black tank flush system, abundant lighting placements, numerous electrical outlets, and ducted


heating & cooling in most models. The Nash truly is feature rich!

Other features/options include: Quick REcovery DSI Gas/Electric Water Heater, Solar Panels, Generator, Pantry Storage Rack, High Rise Kitchen Faucet, Flat Panel TV, Auto Scanning Satellite Receiver, and more...





Model 27E



Nash 5th Wheel Floor Plans:


Model 21-5R*


OVERHEAD CABINET WARD REFER REFE

Construction:

The Nash is Built Right! Our one piece heavy gauge roof membrane material and our tongue-in-groove plywood floor decking both provide excellent durability and longevity. Thick commercial grade vinyl flooring and construction grade dimensional lumber are standard materials in the Nash. We assemble our coaches using the best proven construction methods and processes too. Our custom cabinet production facility uses face frame construction & real plywood shelving (not chipboard).

* Twin Beds (32" x 75") are available on the 26X, 21-5R, 23-5A and 24-5N






In Every Nash:

These Features are Standard in Every Nash Fifth Wheel & Travel Trailer!

- Fiberglass Exterior Siding
- Diamond Plate Front Apron
- Patio Awning
- Back-Up Lights
- 2000 Lb. Tongue Jack (Travel Trailers)
- LPG Regulator w/Auto Change Over
- LPG Quick Connect
- One-piece rubber Roof
- R-18 Insulation In Ceiling
- Northwood Roof Truss System
- Dual Battery Rack
- Large Capacity Exterior Access Storage Compartments
- One Inch Thick Insulated / Locking Exterior Storage Compartment Doors
- Quality Seals on Compartment Doors With All Metal Latches, Catches, and Pulls
- Marine Toilet w/Foot Pedal
- Roadside Utility Light
- Radial Tires
- High Payload Axles, Tires & Wheels
- All Wheel Shock Mounts**
- Electric Brakes On All Wheels
- Chrome Wheels, Lug Nuts, Hub Covers
- Rear Mount Spare w/cover
- Marine Style Exterior Shower
- Enclosed, Heated Fresh Water Tank**
- Enclosed, Heated Holding Tanks**
 - **This feature not available in Model 17C

- Entry Assist Handle
- Vented / Emergency Exit
- Built-In Black Water Tank Flush
- · Semi-automatic Winterization System
- AC/DC Converter
- RV Systems Monitor Panel
- Charge Wizard Battery Mgnt. System
- Solar Panel Ready
- Satellite Ready
- Flat Screen TV Ready
- Gas / Electric DSI Water Heater
- Kenwood AM/FM CD Player
- Air Conditioner
- Microwave Oven
- Double Door Refrigerator
- Extra Large 22" Range w/ Broiler
- Range Cover
- Range Back Splash
- Galley Flourescent Light
- Throw Pillows
- Below Bed Storage
- Dinette Booth (except 26J)
- Large Lavy Bowl
- Deep Dbl Galley Sink w/Hi Rise Faucet
- LPG Leak Detector
- CO Detector
- Smoke Detector
- Fire Extinguisher
 - GFI Circuit Protection



A Solid Foundation:

Structural Steel:


All Northwood 5th Wheels & Travel Trailers are built with structural steel main rails of I-beam or C-channel. The full length main rails and full width cross members insure a solid structure for easier towing and a quality feeling structure under foot. Each chassis also includes Z cross members for additional strength.

We design and build our own chassis to guarantee quality and excellent driveability. We use only top quality Rustoleum finish to prevent rust, and also double prime our welds for added protection.



Camber Welds:

Special welds are applied along the top of the main rails to create camber. Our cambered frame has greater load carrying capabilities than others. Our chassis functions in the same way as a pre-stressed structural beam. The Nash won't sag like the competitors models under full load weight - even after many years of service.



We nest our LP gas manifold line within the chassis structure to protect it from damage. We use large

Cast Iron Manifold:

dimension pipe to improve gas flow to all appliances. We also use brass fittings to attach appliance feed lines to the manifold All of these considerations make our gas supply system extremely durable and problem free. LP lines are protected with vinyl sleeves and sealed with silicone when they pass thru the floor.



Higher Value:

Extra considerations such as these insure that your Nash will maintain its value and that Northwood coaches will continue to be a top performer among competitive RV manufacturers.

Dual Battery Racks:

All Northwood travel trailers include dual battery racks that are welded directly to the frame. Travel trailers include a large capacity, dual LPG tank rack that is conveniently located at the trailer tongue for quick access.

Standard Features:



12 Volt Exterior Lighting at Hitch, Waste Dump, and Patio Areas



Large Capacity Exterior Access Storage Compartments With Top Quality Automotive Weather Seals



Marine Style Exterior Shower



Shock Mounts All Wheels (Except 17C)




A True 4-Season Coach:

Fully Insulated Compartment:

The Nash is a true 4-Season Coach. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing.

The tanks are large and will hold up to 76 gallons of fresh water capacity, 75 gallons of gray water storage, and up to 44 gallons in the black storage tank. the black holding tank comes with an internal sani-



flush system for easy maintenance. Standard in all Nash Fifth Wheel and Travel Trailers *except* the 17C model.



Convenient:

The built in black tank flush system is simple to use and makes maintenance of the waste holding tank quick and easy. The Nash is designed with your convenience in mind.



Built-in Black Water Flush System Standard In All Models





Optional Features:



Auto-Scan Satellite Dish



Flat Panel TV



Solar Panels 50 & 100 watt



Onan Generators (select models)



Slide Topper Awning (slide models)

Photos in this brochure contain optional and standard items, and decor items. See dealer for specific information regarding standard equipment and optional features. Photos and drawings are representative of Northwood products and may differ slightly from actual production models. Northwood continually upgrades and improves it's products and reserves the right to change specifications without notice. Check with your authorized dealer for update information. Northwood Manufacturing * 59948 Downs Road * PO Box 3359 * La Grande, OR 97850 * (541)962-6274 * www.northwoodmfg.com

construction	ပ	19B 22GO		م م	တ္က -	2 %	722	27E 27T	5.5	ξ	-5N	27-5B 27-5I	4	AIR CONDITIONING	ပ	۵	g	ے	وي	ν -	×	26Z2	ш		얁:	23-5A 24-5N	27-5B 27-5L
	_			_		_						_	_		_	-		25	25R	2 2	79X	_	_		_		
Hardwall - Filon			_	SS		SS		SS		S		SS		13.5K BTU A/C w/out Ducting		S				N N	N		N N			N N	
Storm Windows	0	0 0	0	0 0	0	0 0	0	0 0	0	0	0	0 0		13.5K BTU A/C w/ Ducting	N	N	SS	S	S	SS	S	S	SS	3	N	SS	SS
Thermal Pane Windows		0 0		0 0	0	0 0	_	0 0	0			0 0		15.0K BTU A/C w/ Ducting	N		N N		0	0 0	0	0	0 0)		0 0	
CHASSIS, FRAME & SUSPENSION	\$	19B 22G0	젊	25 25 25 25 25 25 25 25 25 25 25 25 25 2	255	3 ×3	2622	27E	21-5R			27-5B 77-51	10.17 10.17	BATHROOM / LAVY	12	198	22GQ	25P	33	252 262	79X	2622	27E	17	21-5R	23-5A 24-5N	27-5B 27-5L
Shock Absorbers - All Wheels	N	0 0	0	SS		SS	S	0 S	0	S	S	SS		Shower Pan	N	0	0 0	0	0	0 0	0	0	0 0)	0	0 0	0
Stabilizer Jacks	0	0 0	0	SS	S	SS	S	SS	0	S	S	SS		Tub / Shower	S	S	SS	S	S	SS	S	S	SS	5	S	SS	SS
12V Power Jack	0	0 0	0	0 0	0	0 0	0	0 0	S	S	S	SS		Shower Screen	N	0	0 0	S	S	0 S	S	S	0 8	3	0	SS	SS
16" Tire/Wheel/Spare	N	N N	N	N N	N	N S	N	N S	N	N	N	N S		Bathroom Skylight	0	0	0 0	S	S	SS	S	S	0 8	3	0	SS	SS
PLUMBING	17	19B 22G0	24	25R	52	26X 262	7622	27E	71-5R	23-5A	24-5N	27-5B 27-51	10.17	KITCHEN / GALLEY	17	198	22GQ	25P	25R	255	79X	7622	27E	1/7	21-5R	23-5A 24-5N	27-5B 27-5L
6 Gal DSI Gas/Electric Water Heater		SS		N S	S	SN	S	N N		S		N N		Microwave					S				SS	3		SS	
10 Gal DSI Gas/Electric Water Heater	N	N N	N	SN	N	N S	N	s s	N	N	S	SS		Range Cover	S	S	S S	S	S	SS	S	S	SS	3	S	SS	SS
ELECTRICAL	Ę	19B	겼	25R	255	3 %	797	7E	21-5R	23-5A	24-5N	27-5B 27-5I	12	Double Door 6 cu. ft Fridge	S	S	S S	N	N	SS	N	S	N N	1	S	SN	N N
Generator Ready	N	N O	-	N O	0	N N	0	O N		N		0 8		Extra Large 8 cu. ft Fridge	N	N	N N	S	S	N N	S	N	SS	3	N	N S	SS
2.5 Onan Generator LP	N	N O	0	N O	0	N N	0	O N	N	l N	N	O N		Kitchen Skylight	N	0	0 0	0	0	0 0	0	0 (0 0)	0	0 0	SS
3.6 Onan Generator LP	N	N N	N	N N	N	N N	N	N N	N	N	N	N O		INTERIOR					238	25 26 26	79Z	797	2)E	1/7	21-5R	23-5A 24-5N	27-5B 27-5L
TV Antenna	0	0 0	0	S S	S	SS	S	s s	0	S	S	SS		Booth Dinette			SS		S		_		SS	3		SS	
LP GAS	13	19B 22G0	ZH	25R	522	26 X8	2622	27E	7.5R	23-5A	24-5N	27.5B	4	Free-standing Dinette	N	N	N N	N	N	N S	0	N	N C)	N	N O	N O
Dual 30# LPG Bottles		SS		SS	S	SS	S	SS		N		SN		Hide-a-Bed	N	N	N N	N	N	N N	0	N	N C)	N	N N	N O
Single 40# LPG Bottle	_	N N	_			N N	N	N N	S	S	N	N N		Jackknife Sofa	N	N	N S	S	S	SS	S	S	SS	3	S	SS	SS
Dual 40# LPG Bottles	_	0 0	0	0 0	0	0 0	0	0 0	N	N	N	N S		One Swivel Rocker	N	N	N N	N	N	N N	S	N	N N	1	N	N O	N S
Way a sure of the													٦	Two Swivel Rockers	N	N	N N	N	0	O N	N	N	N S	3	N	N N	N N
KEY: S Standard (no charge) O	Opti	on Avai	lable	On Re	ques		N I	Not Av	ailable	e In 1	This I	Model	ч	AM / FM CD Player	_			S	S	SS	S	S	SS	3	S	SS	SS
Description Nash Travel 7	Гrаi	lers (*) De	signate	es Sli	de-ou	ıt		5th	Wh	neel	s	٦				22GQ				X9Z		2Æ	1/7	21-5R	23-5A 24-5N	
				6J* 26X				T* 21-5R	23-5A*	24-5N	l* 27-5l	B* 27-5L	L*	Exterior Shower			SS		S				SS	3		SS	
Dry Axle Weight (approx. Lbs.) 3280 3940 4220 4240 5	900												_	Awning	_		SS		S	_	-		SS	3		s s	
Dry Hitch Weight (approx. Lbs.) 460 360 520 600 7	20	580 54	40 7	20 900	72	660	80	0 770	800	1120	0 142	0 142	0	Roof Rack and Ladder	_	_	0 0	_			-	S		_		s s	
Net Carrying Capacity 1860 2700 2760 2660 33 Gross Dry Weight - Lbs. 3740 4300 4740 4840 6														BBQ Grill	_	_					-						0 0
7 0 0.10 0.00 0.10 0.00		6240 51 10000 80										00 1200															
Exterior Length (approx. w / hitch) 18'9" 21'3" 23'10" 23'10" 2	" 27'3" 26'11" 29'3" 28'5" 29'8" 28'11" 29'8"					3" 24'4"	24'4" 25'6" 26'2" 29'6" 28'1"				"	Weights include Slide-out (if applicable).								Popular Options							
Exterior Height (approx. w/o A/C)									' 11'2" 8'	11'4' 8'6"		_	_	Some options are not included in weights.								12 Volt Power Jack					
Tire Size ST205 ST205 ST205 ST205 ST205 ST	•	* * -					_						_	Your Nash Dealer:			3					4		orm Wid nermal P		ndows	
75R15 75R15 75R15 75R15 75R15 75R				R15 80R								15 80R1											3 8	Speed Fa	an Vent		erse
Load Range C C C	D	D (D E	D	D	E	C	D	D	D	E											Hid	de-a-Be	d Aumina	. Tanna	

12 Volt Power Jack
Storm Widows
Thermal Pane Windows
3 Speed Fan Vent w/Reverse
Hide-a-Bed
Slide-Out Awning Topper
Solar Panels - 50w or 100w
Satellite Dishes
15.0K Air Conditioner
13.5K Low Profile A/C

See your dealer for availability in certain models



45 56

40 35

30 35/35 40/30 35/35

YES YES YES YES

14

35

14 20

35/35 54 30

35

YES YES YES YES YES YES

42

40/35 30/25 41

35 45 35

14 14 14 14 14 10 10

25

14

YES YES

Fresh Water Capacity (approx gal)

Gray Water Tank (approx. gallons)

Black Water Tank (approx. gallons)

Auto Ignition Furnace (1,000 BTU's)

LPG Capacity (approx gallons)

CSA - Canadian Dealers Only

46 46

25

27 | 35 | 35

14 | 14 | 14 | 14

20 | 20 | 25 | 25 | 25 | 25

YES YES

44 41 41 40/35 41

46

35 35 35

YES YES YES

14 14

59 59 63 67 63 76 66 44