

NASH RUGGED FROM THE GROUND UP!

A good idea is always a good idea. Ron Nash broke into the RV business with his no-nonsense Northwest Rugged "Pretty One in Work Boots"...The Nash Travel Trailer, and that idea took off like wildfire. The Nash remains true to its roots as an affordable, well-made trailer that will last for years; a durable RV you can take off-road and be used in any season. The concept is sensible and simple. We build RVs how YOU like them. It was a good idea 20 years ago and it's a good idea today! The Nash is equipped to not only meet the needs of the introductory RV buyer, but also offers amazing features not found on other entry level RVs. The Nash has always been known for rugged off-road durability but never before has it come so fully equipped and so reasonably priced. This new Nash is loaded with standard features:



Equaflex Suspension
 Certified Off-Road Chassis
 TG Plywood Floor Decking
 Plywood Roof Decking
 Multi Layered Fiberglass Wall
 and standard amenities such as:
 12 Volt Power Awning
 Rear Receiver Hitch
 10 Gal. Water Heater
 Generator Ready

That's correct - you can have an optional generator on any Nash model. If you are concerned about being fully selfcontained, the Nash is your best answer! So, whether your idea of camping is an elk camp in winter or the campsite nearest the swimming pool at your favorite campground, you will feel equally at home in your new Nash.



...AND ALL THESE FEATURES ARE STANDARD!



Equaflex Suspension

Northwood Built Structural Steel Certified Off-Road Chassis

10 Gal. Water Heater



Tongue & Groove Plywood Floor Decking & Plywood Roof Deck



Multi Layered Laminated Fiberglass Wall



Rear Receiver Hitch

VASH



Generator Ready







Big Bathroom * Lightweight Lots of Storage * Large Double Door Fridge

www.Northwoodmfg.com

Nash 17K

<u>17K</u>	Model Number
3537	Dry Axle Weight (approx. Lbs.)
500	Dry Hitch Weight (approx. Lbs.)
2963	Net Carrying Capacity (approx. Lbs.)
4037	Gross Dry Weight-Ibs (approx. Lbs.)
7000	Gross Vehicle Weight Rating (GVWR)-Lbs.
22' 4"	Exterior Length (approx. w/hitch)
10'7"	Exterior Height (approx. incl. AC unit)
8'0"	Exterior Width (approx. w/o awning)
T205/	Tire Size
'5R15	
C	Load Range
50	Fresh Water w/ Water Heater (approx. gal.)

- 35 Gray Water Tank (approx. gal.)
- 36 Black Water Tank (approx. gal.)
- 14 LPG Capacity (approx. gal.)
- YES CSA Canadian Dealers Only
- 25 Auto Ignition Furnace (1,000 BTUs)

We continually upgrade & improve our products and reserve the right to change any specifications without notice.



ALL CONDITIONS UNI




Big Living / Dining Area * Pantry Cabinet Big Bunkhouse / Sleeps 7 * Convenience Bathroom Sink





Nash 18L

- Model Number 18L Dry Axle Weight (approx. Lbs.) 3752 520 Dry Hitch Weight (approx. Lbs.) 2728 Net Carrying Capacity (approx. Lbs.) 4272 Gross Dry Weight-Ibs (approx. Lbs.) 7000 Gross Vehicle Weight Rating (GVWR)-Lbs. 23'3" Exterior Length (approx. w/hitch) 10'7" Exterior Height (approx. incl. AC unit) 8'0" Exterior Width (approx. w/o awning) **Tire Size** ST205/ 75R15 С Load Range
 - 50 Fresh Water w/ Water Heater (approx. gal.)
 - 42 Gray Water Tank (approx. gal.)
 - 35 Black Water Tank (approx. gal.)
 - 14 LPG Capacity (approx. gal.)
 - YES CSA Canadian Dealers Only
 - 25 Auto Ignition Furnace (1,000 BTUs)






PACIFIC WEST ASSOCIATES, INC BLILT BY NORTHWOOD



Sit-N-Sleep Sofa Option Bunkhouse * Lots of Storage * Huge U-Shaped Dinette

Nash 23B



We continually upgrade & improve our products and reserve the right to change any specifications without notice.





www.Northwoodmfg.com



Sit-N-Sleep Sofa Option Lots of Storage * Large Kitchen & Bath * Huge U-Shaped Dinette



Nash 23D

23DModel Number4482Dry Axle Weight (approx. Lbs.)500Dry Hitch Weight (approx. Lbs.)2018Net Carrying Capacity (approx. Lbs.)4982Gross Dry Weight-Ibs (approx. Lbs.)7000Gross Vehicle Weight Rating (GVWR)-Lbs.25'10"Exterior Length (approx. w/hitch)10'11"Exterior Height (approx. incl. AC unit)8'0"Exterior Width (approx. w/o awning)ST205/Tire Size75R15

C Load Range

25

- 50 Fresh Water w/ Water Heater (approx. gal.)
- 42 Gray Water Tank (approx. gal.)
- 35 Black Water Tank (approx. gal.)
- 14 LPG Capacity (approx. gal.)
- YES CSA Canadian Dealers Only
 - Auto Ignition Furnace (1,000 BTUs)

We continually upgrade & improve our products and reserve the right to change any specifications without notice







When you purchase a Northwood Product, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in a Northwood RV remains higher, and your investment retains its value longer. If you ever decide to trade in your RV, you will get top dollar. That is why you don't see many used Northwood RVs on the market, folks buy them up as quickly as they become available because they have a reputation for durability and longevity.

CHASSIS 🥥

Custom Built, Tested, Certified

RAME 🤇

Select 16" OC Framing, Anchor Blocking & Steel Hurricane Plates

YUUF 🧐 V Full Walk On, Bonded Roof Truss System

EABINETS 🚳

Wall & Ceiling Mounted, Face Frame Construction

A True 4 Season Coach

www.Northwoodmfg.com

NORTHWOOD BUILT CERTIFIED CHASSIS



PACIFIC

ASSOCIATES, INC. LITILIZING AEROSPACE INTERFACE GRID TECHNOLOGY DESIGN ANALYSIS FOR OPTIMUM PERFORMANCE AND SAFETY BUILT BY NORTHWOOD

WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.



GLUE BONDED FRAME w/1-PIECE FIBERGLASS, MULTI-LAYER WALLS

Our wall studs are 16" on center select lumber (better than competitor's #2 grade). We use R7 fiberglass insulation which is hand tucked and secured. We apply a one-piece laminated exterior wall of corona treated fiberglass and double layers of lauan plywood.

This wall forms an amazingly strong one piece seamless panel. Industrial strength construction adhesives glue bonds the framing to triple layered, laminated exterior siding.



All these features combine to provide the "Absolute strength" of the Nash sidewall.



A True 4 Season Coach

R-7 Fiberglass in Walls & Floor R-14 Fiberglass in the Roof R-15 Reflective Foil - Ceiling & Floor Heated & Enclosed Tanks Heated & Enclosed Valves



OUR BONDED ROOF TRUSS SYSTEM ENSURES A FULL WALK-ON ROOF

BONDED ROOF TRUSS SYSTEM

UP TO 5-1/2" OF CROWN

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.



Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.

Northwood's Bow Trusses offer up to 5-1/2 inch center height, giving the roof plenty of runoff slope to eliminate standing water.



CUSTOM BUILT FACE FRAME CABINETS

CABINETRY w/SOLID WOOD DOORS, BUILT USING RESIDENTIAL FACE FRAME CONSTRUCTION METHODS & INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG





<u>Solid Wood</u> cabinet doors ensure lasting beauty and rugged strength.

<u>Face Frame</u> construction gives our cabinets 'high end' residential quality.



Structurally Integrated cabinetry is anchored to the walls and ceiling structure of our coaches making both the RV and the cabinets stronger.

A TRUE FOUR SEASON ALL CONDITIONS UNIT



HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN/HOT SOUTHERN CLIMATES

Northwood builds true 4-Season coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing. Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.





Nash 23F







 Big Rear Bathroom


 Full Pass Thru Storage * Dual Entry * Huge Bath Wardrobe * Fridge/Pantry

Nash 24M

Model Number 24M Dry Axle Weight (approx. Lbs.) 4594 467 Dry Hitch Weight (approx. Lbs.) Net Carrying Capacity (approx. Lbs.) 1939 Gross Dry Weight-Ibs (approx. Lbs.) 5061 Gross Vehicle Weight Rating (GVWR)-Lbs. 7000 27'3" Exterior Length (approx. w/hitch) 10'11" Exterior Height (approx. incl. AC unit) 8'0" Exterior Width (approx. w/o awning) ST205/ **Tire Size** 75R15

C Load Range

- 50 Fresh Water w/ Water Heater (approx. gal.)
- 42 Gray Water Tank (approx. gal.)
- 35 Black Water Tank (approx. gal.)
- 14 LPG Capacity (approx. gal.)
- YES CSA Canadian Dealers Only
 - 25 Auto Ignition Furnace (1,000 BTUs)







Nash 25C

25C	Model Number
4823	Dry Axle Weight (approx. Lbs.)
555	Dry Hitch Weight (approx. Lbs.)
2622	Net Carrying Capacity (approx. Lbs.)
5378	Gross Dry Weight-Ibs (approx. Lbs.)
8000	Gross Vehicle Weight Rating (GVWR)-Lbs.
28'8"	Exterior Length (approx. w/hitch)
0'11"	Exterior Height (approx. incl. AC unit)
8'0"	Exterior Width (approx. w/o awning)
T225/	Tire Size
5R15	NORTHWOOD
D	Load Range

- 50 Fresh Water w/ Water Heater (approx. gal.)
- 42 Gray Water Tank (approx. gal.)
- 35 Black Water Tank (approx. gal.)
- 14 LPG Capacity (approx. gal.)
- YES CSA Canadian Dealers Only

We continually upgrade & improve our products and reserve the right to change any specifications without notice.

25 Auto Ignition Furnace (1,000 BTUs)





www.Northwoodmfg.com

NASH

Standard Construction Features

Northwood built / certified / off-road chassis Equaflex suspension Enclosed and heated fresh water tanks Durable, seamless, exterior fiberglass siding 5/8" T&G plywood main floor decking Fully decked 3/8" plywood 'Full Walk-On' roof One-piece, seamless, roof membrane Wood structural framing throughout 2" X 2" studs, 16" O/C in walls, front & rear 2" X 3" longitudinal joists 16" on center 5" residential-style tapered wood roof trusses R-7 fiberglass insulation in sidewalls and floor Double R-7 roof insulation w/ reflective foil Reflective Foil insulation throughout floor Darco one-piece RV under siding 1/2" plywood bed and bunk platforms 2" thick laminated route-out dinette platforms Electric-power rack and pinion slideouts

Standard Interior Features

Stereo/AM/FM/CD Structurally integrated cabinetry throughout Solid wood mortise and tenon cabinet doors Solid wood drawer faces Armstrong residential wear surface floor covering Designer décor border Valance window treatments Jack knife sofa (converts for sleeping) LED utility interior lighting 110 electrical outlets throughout Square cabinet door frames Mini-blind privacy shades throughout Residential furniture by Homestyle 10" electric brakes on all wheels Roller bearing drawer glides



STANDARD FEATURES & OPTIONS

Standard Exterior Features

Generator readv Solar Ready 20 watt solar panel LED Exterior lighting LPG quick connect Rear receiver for cargo rack / bike carrier 15" radial tires Metal wheels and hub covers Leaf spring suspension & straight axles Amber patio light w/interior switch & hitch light Large luggage compartments Luggage doors w/radius corner & metal pulls Non-skid retractable entry step Entry assist handle and hurricane door latch Bumper with drain hose storage and end caps Galvanized steel wheel wells Insulated wheel wells on non-slide models Mud flaps Molded ABS LPG tank cover Fiberglass entry door with radius top corners Screen door with kick panel Rain gutters with oversized down spouts Diamond plate front gravel guard Radius cornered windows with screens Dual battery rack welded into A-frame Park cable TV hook-up with RG6 cable Digital TV antenna w/signal booster Roof-mount antenna for radio Hook-up for satellite TV reception 12 volt power awning

Custom gray fiberglass exterior Exterior shower

Standard Safety Features

Dual safety chains on A-frame Break-away switch GFCI circuit protection Smoke alarm LPG leak detector Carbon monoxide detector Fire extinguisher Dead bolt lock on entry door Egress windows (for emergency escape)

Standard Bathroom Features

Marine toilet Shower surround Shower curtain with curved track Additional décor shower curtain Skylight above tub/shower Exhaust fan Wall mounted light switch Large bathroom sink Medicine cabinet with mirror Towel bar Towel ring Toilet paper holder Electrical outlet with GFCI circuit protection

Standard Bedroom Features

Bedroom roof vent Quilted bedspread with reverse sham Designer headboard Camping clothes storage Below-bed storage with gas strut assist Night stand top and drawer Reading lights Mini blind privacy shades Electrical outlets Campers Comfort mattress Designer privacy curtain TV mount pre-block w/ hook-ups

Standard Heat, Power, and Water Equipment

12V electrical system Deluxe 110V 45-amp power converter 30 amp park power cord - 30 feet Auto-ignition furnace with wall thermostat In-floor heat ducting In-ceiling A/C ducting 120V GFCI circuit protected exterior patio outlet 12V demand water pump system Hook-up for city water 10-gal gas water heater Two (2) 30 lbs. propane gas tanks w/ regulator ABS holding tanks Systems monitor panel Water system winterization kit Water heater by-pass Black tank flush

Standard Kitchen Features

Nash signature key holder 3-burner cook top with one 9,000 BTU burner Large oven Range hood with light and exhaust fan Back splash protection behind cook top Double door gas/electric refrigerator (most models) Designer refrigerator door panel inserts Acrylic residential-style sink High profile galley faucet Sink cover / cutting board Large drawers in galley cabinet Galley overhead storage cabinets Ventilating window at galley sink Large picture window at dinette Large dinette table Access to dinette booth storage Laminated countertops Microwave oven with carousel



Options

Aussie stainless steel BBQ grill Obe-Co convenience center Exterior marine grade stereo speakers AM/FM Stereo w/ Blue Tooth Sit -N- Sleep sofa sleeper (some models) Heated and enclosed holding tanks Stabilizer jacks - front and rear Air conditioner Range cover Generator Cargo rack Bike rack LCD TV



When you've been in the RV industry for nearly 1/2 a century, you've seen it all, and one thing never changes, quality sells and re-sells.

We started Northwood in 1993, building the best quality RV for the best price. That principle has never changed and we are absolutely committed to maintaining our reputation for guality in the RV industry.

Thank you for your continued interest in our product.

We have owned both Nash and Arctic Fox products from Northwood.

In 1996 we bought our first Northwood product, the Nash 26J and we used it for 6 years. We did a lot of traveling in the Nash. We then decided to move to a slide-out model and got our 25R Fox. In 10 years of use, our 25R Fox has followed our 4x4 Dodge wherever we have gone, on and off the pavement. It has aged better than we have!



We love to boondock, so we seldom go into RV parks except for rallies and visiting relatives. We do a lot of volunteer work with Rocky Mountain Elk, Oregon Hunters and work on projects with the Forest Service and Fish and Wildlife, so we mostly camp in remote sites.

We first met Ron and Sherry Nash at the Eugene RV Show back in 1993 where they were showing their new products. We also met them a few times at the Portland RV shows. When they came out with the 26J in 1996, we bought one.

While owning the Nash, we were able to make a number of suggestions to Ron Nash and Matt Turley about design considerations on our trailer and for future product upgrades. I was impressed to see a number of those suggestions implemented in newer models. Ron always had an ear for us and he would greet us 'Hi Linda and Dave', with a cup of coffee. I feel very good about the team Ron has assembled and the way they are moving the company forward. I am proud to say that we may have been the first owners of a Nash with heated and enclosed holding tanks because of our hunting camp use. This 4-Season feature soon became standard on all Nash products.

We have been 'trailering' for over 45 years and the Nash was our 8th trailer, so we are not new to the RV industry.

It has really been fun watching Northwood develop and having a part in some of the changes. Thanks for a great product and wonderful, personal service, Northwood!"



Our first Northwood product was a 2002 Nash 29V and we pretty much ran the tires off of it. The service people here at Northwood have been excellent. They have saved me a great deal of time, and Northwood is probably the best manufacturer I have ever dealt with. The fit and finish in the Nash is 'all there!' I can't give high enough praise for the product and the backing the company gives you.

Dave Thomas Eugene, Oregon



Hello Ron and Sherry Nash,

My husband and I have just returned from a three week tour of the Grand Teton, Yellowstone, and Glacier National Parks—in our brand new Nash 17K. We wanted to share some of our photos and some of our story.

This was the longest trip we have taken in a recreational vehicle. Though we have owned larger RVs in the past, mostly motorized Class A and C motorhomes, we have never been on the road this many consecutive nights and days. Our most recent RV was a deluxe tent trailer, and we knew it would be an inadequate way to travel this far, this long, and this old.

We decided to look into a small travel trailer we could tow with our Toyota Tundra. Fully expecting to purchase something used, we decided to give our local business a first look: The owner let us go scouting his inventory of new and used trailers. Once in his yard, we spotted three new trailers that were somehow "different": different color, different shape, and different size. All these features were attractive.



He had three models of Nash on his lot. After going in and out of all three models about fifty times each, we told him we would take this small, compact 17K. Apparently your new Nash designs had not been on the lot for more than a few days, and he was embarrassed to say that he really did not have all the info on them—but he would get it.

One week later, our Nash was parked on our property and ready to be packed for a one-night trial before we got busy on our serious trip. All systems worked perfectly in our remote, rustic campsite outside Quemado, NM, and they continued to surpass our expectations for capability, reliability, and easability.

We are 100% satisfied customers! We would be happy to answer any questions other potential buyers might ask.

Sincerely, Steve and Jealyn White Silver City, New Mexico





FORGED ON THE FRONTIER

THE REPORT OF TH









Model Number 17K 18L 23**B** 23D 23F 24M 25C Dry Axle Weight (approx, Lbs.) 3537 3752 4482 4312 4132 4594 4823 Dry Hitch Weight (approx. Lbs.) 500 520 430 500 420 467 555 Net Carrying Capacity 2963 2728 2258 2018 2448 2622 1939 Gross Dry Weight-Ibs (approx. Lbs.) 4037 4272 4742 4982 4552 5061 5378 Gross Vehicle Weight Rating (GVWR)-Lbs. 7000 7000 7000 7000 7000 8000 7000 Exterior Length (approx. w/hitch) 22'4" 23'3" 27'7" 25'10" 26'4" 28'8" 27'3" Exterior Height (approx. incl. AC unit) 10'7" 10'7" 10'7" 10'11" 10'7" 10'11" 10'11" 8'0" 8'0" 8'0" 8'0" 8'0" 8'0" Exterior Width (approx. w/o awning) 8'0" Tire Size ST205 ST205 ST225 ST205 ST205 ST205 ST205 75R15 75R15 75R15 75R15 75R15 75R15 75R15 Load Range С С С С С С D Fresh Water w/ Water Heater (approx. gal.) 50 50 50 50 50 50 50 35 Gray Water Tank (approx. gal.) 42 42 42 42 42 42 Black Water Tank (approx. gal.) 36 35 35 35 35 35 35 LPG Capacity (approx. gal.) 14 14 14 14 14 14 14 CSA - Canadian Dealers Only YES YES YES YES YES YES YES Auto Ignition Furnace (1,000 BTUs) 25 25 25 25 25 25 25

*All dry weights are calculated before adding options.

Specifications are subject to change without notice. aren't sure, you can ask your automotive dealership

Verify the towing capacity of your tow vehicle. If you don't know or aren't sure, you can ask your automotive dealership or contact your tow vehicle manufacturer. All weights above are average approximations and may vary.



Updated July 2013

www.Northwoodmfg.com

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.

Your Local Dealer: