



122 REASONS TO BUY AN ARCTIC FOX CAMPER

Construction

Aluminum Superstructure
Welded Aluminum Framing (.060" - .125")
Solid Fill Anchor Blocking
2 lb. Virgin Block Foam Insulation
Full Walk-On Roof
Crowned Roof: 3-1/2" Tapered to 1-1/2"
Thick Seamless One Piece Roof Membrane
Transverse Floor Maximizes Floor Space
Continuous 1 Piece Fiberglass Cabover
Rack and Pinion Slide Out Mechanism

Exterior

LED Running Lights LED Tail Lights - Recessed Automotive Style Large 1" Thick, Insulated Compartment Doors Metal Latches, Catches, and Pulls **Automotive Bulb Seals Around All Doors** 12V Light in Valve Compartment Removable 110V Power Cord (30' Length) **Outdoor High Pressure Rinse Station** 5/8" Cast Iron Gas Manifold **Diamond Plate Armor Above Bumper** Entry Door w/ 2 View Windows Aluminum Bumper w/ Dual Access 3 Position Bumper Step Mount Entry Door/ Patio Light **Exterior Convenience Light (Non-slide Side) Black Tank Flush** Exterior 110 Volt Outlets (GFI Protected) Rain Gutters and Large Drip Spouts LP Hookup for BBQ **Torque Windows** 80/20 Window Tint Safety Glass Windows **Thermal Pane Window Option** Optional 2500 W Onan Cummins Generator 12 Volt Power Awning Option

Bathroom

Fiberglass Shower Stall (Wet Bath Only)
Bathroom Skylight
Fold-Away Clothes Hanger
Vanity Cabinet & Mirror
Freeze Resistant Waterlines
Marine Grade Toilet

Interior

Solid Wood Cabinetry **Face Frame Cabinet Construction** 3 Interior Color Décor Choices AM/FM CD Player w/ 6 Speakers Adjustable Rheostat Controlled Lights (5) Recessed Halogen Lighting **Wood Trim Accents** Ceiling Carpet Liner 2 Fluorescent Lights Night/Privacy Shades Direct Spark Ignition LP/110 Water Htr **Adjustable Heat Vents Systems Monitor Panel** 12 Volt Disconnect Switch 8 - 110 Volt Outlets (9 in Dry Bath Models) **Large Capacity Holding Tanks Enclosed Heated Holding Tanks Enclosed Water Heater Termination Valves** Pre-Wired for Solar Panel Pre-Wired for Satellite Receiver Power Converter with Charger Charge Wizard @ Battery Maint. System Generator Ready (Most Models) **Generator Transfer Switch (Most Models)** Optional Carpet Kit (n/a 865 & 992) 20K Auto Ignition Furnace Storage Step into Cab Over

Slide Out

All Dinettes are Full Wall Slideouts
26" Deep Slide (Most Models)
Oversized Dinette Window
Dream Dinette
Longer/Wider Dinette Table
Dinette Converts to 43"x 76" Bed (Most Models)
4 Seals on Slide-Out
Below Seat Storage
High Density Foam Seat Cushions
Optional Fold Down Ohd Bunk w/ Pad
Below Step Storage

Kitchen

Galley Overhead Cabinets w/ Shelves
Solid Wood Doors
Single Lever Faucet w/ Pullout Sprayer
Counter Extension (n/a 865 & 992)
Galley Backsplash
Large Kitchen Skylight w/ Shade
Tough Designer Flooring
Double Door 6 CU FT. Fridge (LP/110-optional 12V)
Deluxe Refrigerator Doors
Dinette Storage Drawer
Dinette Storage Door
Pull-Out Pantry
TV Antenna/ HD/ w/Signal Amplifier
Full Extension Ball Bearing Drawer Glides
Optional Convection Microwave Oven

Bedroom

Pillow Top, Inner Spring Mattress
Optional 19"- 12 Volt LCD TV
w/ Swing Arm
Amplified TV Antenna Hookup
Park Cable Connection
12 Volt Outlet
Large Wardrobe Cabinet
Cabover Hampers w/ Struts
Swivel Accent Reading Lights
Mirrored Closet Doors
Padded Headboard
Full Wall Wardrobe Option
Optional Front Window w/ Storm Window
FANTASTIC © Reversible, Multi-Speed Fan
Coordinated Bedspread & Shams

Dual Rams

Dual Ram Rack and Pinion Slide Assembly in All Slide Outs

Front Storage Shelf



Dual Battery Rack

Sliding Dual Battery Tray Holds **Two** Group 29 Batteries 420 Amp Total Capacity on Metal Roller Bearings

Dual LPG Tanks

Dual 30# LPG Tanks w/Auto Change-over Regulator and Lock-able Security Strap



FOX VALUE PACKAGE

2500 lb. Capacity Electric Jacks
with Hardwire or Remote Control Operation
plus 2nd Backup Emergency Controller
Large Rear Awning (7'x 8')
Extra Long/Deep Rear Sliding Storage Tray
7 Gal LP Tanks (2 Stand-up)
Dual Battery Compartment w/ Slideout Tray
Diamond Plate Armor - Basement Siding
Roof Access Ladder
7" Tall Roof Rack
Rear Exterior "Marine" Speakers
3 Burner Hi-Output Range w/ 22" Oven (most models)
Microwave

Aluminum Superstructure



Aluminum SuperStructure

811



Full Wall Slide - Wet Bath

THE RESERVE OF THE PROPERTY OF	THE RESERVE OF THE PARTY OF THE
Model Number	811
Dry Weight Lbs.	2873
Dry Weight Kgs.	1303
Exterior Width	8'1"
Exterior Height (+A/C)	8'6" (9'4"
Interior Height	6'7"
Floor Length	9'0"
Overall Length	16'8"
Fresh Water	50
Grey Water	38
Black Water	23
PG Canacity (approx gal)	11














Aluminum Superstructure & Solid Core Blocking



Solid Core Anchor Blocking CONTINUOUS BEAD WELDS ALL THREADS ARE SECURING THE FASTENER

other brands



Our Commitment to

Quality Strength Durability



Absolute Northwood


"Where Quality is Everyone's Responsibility



When Northwood advertises a "Full Walk-On Roof" for our slide out truck campers, you not only can walk everywhere on the roof, but you could also

We tested the strength of our 992 full-wall slide model by loading the roof with 32 of our camper line employees (a good testimonial for our camper jacks too!).

Full Walk On Roof - 32 Employees On Board!



invite a couple dozen of your friends to join you!



By using solid wood face frame construction and then integrating the cabinet with the structure of the ceiling and walls, our coaches and our cabinets are both made stronger.

Heated Holding Tank Area

Our fully enclosed, insulated and heated holding tank area circulates air around the suspended tanks providing the best protection from freezing. All our dump valves are also enclosed and heated to ensure smooth operation, even in cold northern climates

Structural Aluminum Basement Floor Frame

'Big' holding tanks require a 'Big' floor structure...

That's the Arctic Fox Basement Floor!

Thick wall aluminum basement floor joists



Allang For

990



Full Wall Slide - Wet Bath

Model Number	990
Dry Weight Lbs.	3010
Dry Weight Kgs.	1365
Exterior Width	8'1"
Exterior Height (+A/C)	8'6" (9'4"
Interior Height	6'7"
Floor Length	9'10"
Overall Length	17'6"
Fresh Water	59
Grey Water	39
Black Water	43
PG Capacity (approx gal) 14

Aluminum SuperStructure











FOX Talk



"The Fox has been our Home for the last three months in all kinds of weather and all kinds of roads and has performed magnificently."

John & Linda Ross, 990 owners







Hey Mick,

Just wanted to let you know that I just returned from a one month shakedown of my new Arctic Fox. I put it through its paces going to Big Bend N.P., Big Bend Ranch State Park and Guadalupe N.P., all in Texas. Big Bend Ranch State Park involved about 35 miles of dirt and 4-wheel drive roads, camped in 70 mph winds in Big Bend, and got into below freezing weather at Guadalupe N.P. The camper exceeded my expectations and everything worked fine. I'm very pleased.

Your friend in Chattanooga,

Pete





I was going right by the Northwood plant on my way from Nevada and I think it's awesome that you can fit people in on short notice, and for me, that's what customer service is all about. After doing a lot of research on the web, a very good friend of mine introduced me to his best friend who just bought an Arctic Fox 990. He raved about how great his Arctic Fox was.

Terry Burke Kelowna, BC - 990 owner.



We purchased the Arctic Fox 990 as our first camper, and we couldn't be happier with this choice. Our initial trip was 9,000 miles in two months. We were perfectly comfortable with the accommodations. It has everything we need in a small, agile package. The quality of construction is evident. We tested the "four seasons" functionality with freezing weather in Yellowstone and simmering heat in Texas. We're on the road again now, touring the Southwest before bringing it home to Alaska. We look forward to many more years of exploring in this truck camper.



Kim and Dan Rounsley Juneau. Alaska

Over the past 2 years I have spent 182 nights in an Arctic Fox Truck camper. I started with a 990 and switched it a year ago for a 992. It's amazing what you will discover by living in your own product. It's the little things you discover. As a result of my 'campouts', we've added a bigger dinette window, the dream dinette, a light in the dump valve area, clear glass in the rear entry door and many more improvements.



Doug Karr "The Camper Guy"

Allalle For


992



Full Wall Slide - Dry Bath

Model Number	992
Dry Weight Lbs.	3235
Dry Weight Kgs.	1467
Exterior Width	8'1"
Exterior Height (+A/C)	8'6" (9'4"
Interior Height	6'7"
Floor Length	10'2"
Overall Length	17'10"
Fresh Water	46
Grey Water	39
Black Water	37
PG Capacity (approx gal) 14

Aluminum SuperStructure











Aluminum SuperStructure

995




Dual Slide - Wet Bath

Model Number	996
Dry Weight Lbs.	3339
Dry Weight Kgs.	1514
Exterior Width	8'1"
Exterior Height (+A/C)	8'6" (9'4"
Interior Height	6'7"
Floor Length	10'0"
Overall Length	17'8"
Fresh Water	59
Grey Water	39
Black Water	43
PG Capacity (approx gal)	14







DUAL Slide Modell







"The Ultimate Back Porch"

OX LANDING

Manufactured seclusively for NORTHWOOD Mfg.

The new FOX LANDING offers a large entry platform, convenient fold away stairs and an intermediate step for easy access. The stairway can be installed to the left or right of the landing and the platform folds up out of the way for travel or when hitching your boat or trailer. Check it out!

- * 4 Equal Height Steps
- * Mid Step (Between Bumper & Threshold)
- * New Wider Bumper
- * Left or Right Hand Accessible
- * Steps Fold Up in Seconds
- * Single Pin Locks Into Position
- ...Found Exclusively in Arctic Fox !!!







1. Steps in the down position. 2. Treads fold up....

3. Landing folds up, and pin locks it into place

More Popular Options To Consider



You may also want to consider adding a Full Wall Wardrobe in the bedroom or a Roll-Over Lounge instead of the standard dinette. (Available in most models).





CAMPER SAFETY TIPS:

For your safety while driving, use mirrors that allow you to view past the camper to the rear on both sides. Trucks can be purchased with extended mirror options or you may purchase mirror extensions. Truck manufacturers state that you should not exceed the GVWR for the vehicle that carries your camper. The configuration of your truck will determine what size camper your vehicle can carry. A dual rear wheel truck is advisable for Arctic Fox campers. Adjustable air bags will help to level your vehicle, transfer rear axle weight forward for comfort and safety, and are recommended for all Arctic Fox applications. Some states allow passengers to ride in the camper, but it is not recommended as there are no seat belts available. When driving in any adverse weather condition it is always best to reduce your speed. The pickup should be outfitted with a durable rubber mat liner to reduce shifting while traveling. The mat will also protect the truck bed and camper from scratching while loading and unloading.

Use \$ TORKLIFT frame mounted camper tie downs for greatest safety.



10,000 Arctic Fox Campers Built 1999-2012

Allating Hon


ALL CONDITIONS UNIT

Full Wall Slide - Dry Bath

1140 Model Number 3465 Dry Weight Lbs. 1571 Dry Weight Kgs. 8'1" **Exterior Width** Exterior Height (+A/C) 8'6" (9'4") Interior Height 6'7" Floor Length 11'4" Overall Length 19'0" Fresh Water 59 **Grey Water** 35 **Black Water** 43 LPG Capacity (approx gal) 14

Aluminum SuperStructure













Typical

Dry Bath

Allatin Fair

1 1 4 D ALL CONDITIONS UNIT

Full Wall Slide - Wet Bath

1140 Model Number 3465 Dry Weight Lbs. 1571 Dry Weight Kgs. 8'1" **Exterior Width** Exterior Height (+A/C) 8'6" (9'4") Interior Height 6'7" Floor Length 11'4" Overall Length 19'0" Fresh Water 59 **Grey Water** 35 **Black Water** 43 LPG Capacity (approx gal) 14

Aluminum SuperStructure



Typical Wel Balh





Allalle For

50 ALL CONDITIONS UNIT

Full Wall Slide - Dry Bath

LPG Capacity (approx gal)


1150 Model Number 3358 Dry Weight Lbs. 1523 Dry Weight Kgs. 8'1" **Exterior Width** Exterior Height (+A/C) 8'6" (9'4") Interior Height 6'7" Floor Length 11' 4" Overall Length 19'0" Fresh Water 59 **Grey Water** 35 **Black Water** 43

14

Aluminum SuperStructure



EXTERIOR STORAGE ACCESS



WARD

WARD







Full Wall Slide - Wet Bath

Model Number	1150
Dry Weight Lbs.	3358
Dry Weight Kgs.	1523
Exterior Width	8'1"
Exterior Height (+A/C)	8'6" (9'4")
Interior Height	6'7"
Floor Length	11' 4"
Overall Length	19'0'
Fresh Water	59
Grey Water	35
Black Water	43
PG Capacity (approx gal)	14

Aluminum SuperStructure









Features & Options

FOX VALUE PACK CONSTRUCTION

Thermal Pane Windows Storm Windows Front Cab-Over Window

ELECTRICAL

000000

811 990 996 140

00000

000000

00000

811 990 140 150

00000

00000

000000

000000

000000

00000

811 992 996 1140

000000 NNNNON

0 0 0 S N 0

NNNNSN

811 990 990 1140

SSSSSS

811 990 992 996 1140

000000

000000

000000

000000

00000 811 990 1140 1150

000000 000000

000000 000888

000000

000000

60 Watt Solar Panel w/ Controller 95 Watt Solar Panel w/ Controller Combo Satellite Dish Auto Scan Satellite Dish

2.5 Onan Generator (Short Box Only 865 / 811) 11K BTU Air Conditioner

KITCHEN / GALLEY

2-way Double Door 6 Cu. Ft Fridge 2-way Double Door 8 Cu. Ft Fridge 3 Burner Range with 22" Oven 3 Burner Range with 16" Oven

PLUMBING & LAVY

DSI Gas Electric Water Heater

INTERIOR

LCD Flat Screen TV **DVD Player**

Overhead Bunk in Dinette

Full Wall Wardrobe

Removable Livingroom Carpet

EXTERIOR

Diamond Plate Front Panel Side Box Awning

Full Wall Slide Out Awnings

Swing Out Brackets For Dually

Add-a-Step LP Barbeque

000000 Remote Power Jacks 000000

Rear Power Awning (upgrade)

KEY:

S Standard Equipment (no charge) Option Available on Request Not Available in this Model Full 12 Month Warranty (All Models)

Value Pack

Fox Value Pack is a mandatory option bundle that includes all of the following high value features:

Rear Awning
Sliding Battery Tray
2500 # Capacity Electric Jacks
Dual 30 lb. LP Tanks
Exterior "Marine Speakers"
Roof Rack and Ladder
Rear Sliding Storage Tray
Diamond Plate Armor-Basement Siding
Large 22" Oven
Microwave Oven
LP/110 - 6 Cu Ft Dbl Door Refrigerator
Pull-Out Pantry
Deluxe Refrigerator Doors
Fantastic Fan© - Multi-Speed/Reversibl
TV Antenna
Dinette Storage Door
Dinette Storage Drawer
Bedspread/Shams
Bedroom Front Shelf
Weight: 595 lbs.

Option Weights

Approximate weight of specific additional features:

Feature	Est. Weight		
Weight Unit of Measure	Lbs.	Kgs.	
OHD Bunk	40	18	
Swing Out Brackets	21	10	
11M BTU Air Cond.	90	41	
Solar Panel 50W	22	10	
Solar Panel 95W	32	15	
Removable Carpet	10	5	
Side Box Awning	63	29	
Generator Ready	25	11	
Generator	78	35	
Barbeque	22	10	
One Battery	30	14	
Typical Water Full (8.3 Lb/Gal)	458	208	
Propane Full	60	27	
Bumper	49	23	
Fox Landing	24	11	
TV w/Bracket	20	9	
12V Power Awning (Unit)	5	3	

Use these figures to estimate the total weight of the coach with added options:

Camper Weight + All Options

Items Included In Unit Weight Estimation

All Unit Weights Include All of The Following Features Below:

Fiberglass Exterior; Heavy-Duty Camper Tie Downs; Exterior Rinse Station; 20 K BTU Auto Ignition Furnace with Thermostat Control; 58"x 80" Pillow Top Inner Spring Mattress: Pre-wire for Solar and Satellite: Pre-wire for TV antenna: Pre-wire for microwave oven; Pre-wire for Air Conditioner; Large 3-burner Range; Range Cover; Range Hood w/ Light and Exhaust Fan; DSI Gas Electric Water Heater with Insulated Porcelain Tank; Water Heater By-pass Valve; Semi-Automatic Winterization System; Night/Privacy Shades; Galley Skylight w/Shade; 25 Watt Speakers; Fire Extinguisher; LPG Leak, Smoke and CO Detectors.

*All dry weights are calculated before adding options. Verify the load capacity of your vehicle. If you don't know or aren't sure, you should ask your automotive dealership or contact your vehicle manufacturer.

All weights above are average approximations and may vary. Specifications are subject to change without notice.

Approximate Overall Weight and Measure Specifications For Arctic Fox Campers:

				DATE OF THE PARTY	11-12-75 March 11-12-76	
Description	Ar	Arctic Fox Truck Campers (*) Designates NON Slide-out				STATE OF THE PARTY
Model Number	811	990	992	996	1140	1150
Dry Weight Lbs.	2873	3010	3235	3339	3465	3358
Dry Weight Kgs.	1303	1365	1467	1514	1571	1523
Width	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"
Exterior Height	8'6"-9'4"w/AC	8'6"-9'4"w/AC	8'6"-9'4"w/AC	8'6"-9'4"w/AC	8'6"-9'4"w/AC	8'6"-9'4"w/AC
Interior Height	6'7"	6'7"	6'7"	6'7"	6'7"	6'7"
Floor Length	9'0"	9'10"	10'2"	10'0"	11'4"	11'4"
Overall Length	16'8"	17'6"	17'10"	17'8"	19'0"	19'0"
Fresh Water w/Water Heater	50	59	46	59	59	59
Gray Water	38	39	39	39	35	35
Black Water	23	43	37	43	43	43
LPG Capacity (approx. gallons)	14	14	14	14	14	14

Some options are not included in the weights displayed. See the list of features that are included in the calculation table

Your Northwood Dealer

