

Sunset Interior

Sunset Interior





- * Northwood Built, 3rd Party Independently Tested & Certified, Structural Steel Off-Road Chassis.
- * Heavy Duty Axles w/ Larger Wheels & Brakes for Clearance, Load Capacity & Stopping Power.
- * Fully Wolded Heavy Gauge Aluminum Super Structure.
 * Multi-layer Laminated Walls over High Density Block Foam
- * Corona Treated Continuous One-Piece Outer Fiberglass Skin.
- Tongue & Groove Plywood Sub Floor (not chipboard).
 Double Arched Roof Trusses Bonded to Plywood Decking.
 We build it RUGGED and we keep it <u>LITE</u> for ease of towing and fuel

Every Snow River posts its finished weight right at the entry door for your 'Rugged Lite' assurance.














Show Ruggier -

Standard Construction Features
Northwood Balt, Independently Certified, Olf-Road Chaosi
Pally Method, 1164-2461 Alaminan Frame Construction
One-Piece, Corona Trasled, Continuous Fiberglass
Halt-Polyanthuse Laminated, Balti-Layerd Substrate Walt
High Density Black Fram Insulation
Cathedra Arched Ceiling
Al-Condition From Seasons Insulation wif R-14 Ceiling
R-15 Reflective Foll Insulation in Bool / Side
Reflective Foll Insulation in Troof Insulation
Durso One-Piece RV Unider-Siding
Sill Timpse- and-Groove Main From Electing
Fall Walt-On Roof with SIP Decking
Sill Walt-On Roof with SIP Decking
Fall Walt-On

Standard Exterior Features
Universal Linke Autos
Equation Acto Suspension System
15" Slack Out Alaminum Wheels
Subilities Jacks
Floughes Front Cap of Backflood Armor
Demails: "Regardell list" Eagle Graphic Package
Model ARS LP Tank Cover
Diamond Pale Bumper Way
4" Sower Hose Carrier Bumper
LED Exterior Lighting
Safert laft Roof Rock and Ladder
SLAH Door Lafethes on Pass Thru Storage Doors
Cooler-Street Storage Access Doors
Black Water Flush System
Extend A.First LP Feet for 180Q
Exterior Shower (Mod Model)
Large Exterior Endy Carch Handle
Cardene Tareett Ett Warning
TV Automa

Standard Interior Features
Residental Way Floor Covering
LED Interior URIN Lighting
Interior Command Center
Rustle Cothin Flinish Throughout
Refer Resiring Dismare Gildes
Mini Biland Privacy Stades Throughout
LCO YM & DVINCO AMERA Philyer
Show Plant's Signature Company I Responsture Gauge She
"Hearthstone" Luminute Counterions & Backsplanh

Standard Heat, Power, and Water Equipms 6 of 193 Our | Sectic Oxide Recovery Water Heater 11.5M BTU Air Conditions
Condensation Resistant Ceiling Ducing
Efficient Resistantia Ceiling Ducing
Efficient Resistantia Style in Floor Ducind Heating
30 West Soler Panel
Safetin Resisty | Soler Resdy |
Heater Heating Tanks
Safetin Resisty | Soler Resdy |
Heater Heating Tanks
Sour-Autonosis: Wintertration | By Pees System
129 Electrical System of Debus 110V 55 Amp Converted
25 Foot - 30 Amp Park Power Ord
Anto Significon Furnace will full Thermodal
Libb CRI Protected Exterior Path Outlet
129 Demand Water Pump System
Hook by For CRI Water
Two (23) 910.6. Propane Tarks of Regulator
Water Heater By Pass

Standard Safety Features Brok-Awy Switch Dusl Safety Chains On A-Frame OFF Circuit Protection Smoke, LPG, & CO Leak Delector Fire Estinguisher Deed Boll Leck On Entry Door Egress Windows (Emergency Escape) Standard Kitchen Features
Residents, Ind. In titcrowers
High Output 3-thome Ronge of Ronge Cover
Large Fridge (6 or Fi) of Innert Panels
Real Wood Custom Culling Board
22" Own
Ronge Hood of Light and Enthurst Fam
Ronge Hood of Light and Enthurst Fam
Ronge Ronge Hood or It light and Enthurst Fam
Ronge Ronge Hood or It light and Enthurst Fam
Ronge Ronge

Rampe Hood wil Light and Exhaust Fan Arrylie Residential Style Sink. High Profile Galley Faucet Sink Cover / Cutting Board Galley Overhead Siorage Cabinats Versibility Window at Kitchen Sink Large Pichar Window at Michael Large Britan Window at Disettle Large Disettle Balle Larginated Counterlaps Durable, Polyellykon Holding Tunka

Standard Bathroom Features Foot Pedal Toilet / Bath Stylight Bath Exhaust Fen Large Sink Medicine Cabinet w/ Wirror

Standard Bedroom Features
Camping Conflot Multimes & Bedignesd
Before Bed Stange
Bedroom Per-Hiller & Blocked for Fial Sci Bedroom Roof Vent
Pillore Shams
Designer theotheard
Shirt Workrobe Cabineds
Night Stand Top and Drawer
Roading Light
Electrical Outliefs Options
Slide Auning Topper
CSA (Canadian Dealers Only)
Deluze Refer Doors
Spare The Group
12V Power Juck
Thermal Pane Windows
Night Shades
Powered Sidding Stab Jacks.


Night Shades Powered Stiding Stab Jacks, Front & Rear Travel'R Awning Adj. Pitch Hardware 60 Watt Solar Panel w/ Controller 100 Watt Solar Panel w/ Controller

See your dealer for option availability in certain models

Model Number	234RBS	246RKS	266RDS	288BHS
Dry Axle Weight (approx. Lbs.)	5051	5040	5514	6447
Dry Hitch Weight (approx. Lbs.)	571	750	718	645
Net Carrying Capacity	4378	4210	3768	3408
Gross Dry Weight-Ibs (approx. Lbs.)	5522	5790	6232	7092
Gross Vehicle Weight Rating (GVWR) Lbs.	10000	10000	10000	10500
Exterior Length (approx. wihitch)	25'10"	28'4"	31'1"	32'6"
Exterior Height (approx. incl. AC unit)	117"	117"	117"	11'7"
Exterior Width (approx. w/o awning)	8.0.	8'0"	8.0"	8'0"
Tire Size	S1225	S1225	\$1225	\$1225
- Liver	75R15	75R15	75R15	75R15_
Load Range	D	D	D	D
Fresh Water w/ Water Heater (approx. gal.)	59	59	59	59
Gray Water Tank (approx. gal.)	42	35/35	35	42
Black Water Tank (approx. gal.)	35	36	36	40
LPG Capacity (approx. gal.)	14	14	14	14
CSA - Canadian Dealers Only	YES	YES	YES T	YES
Auto Ignition Furnace (1,000 BTU's)	25	25	25	25
THE RESERVE OF THE PARTY OF THE	The Section			

Your Local Dealer:





Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com