

NEXT LEVEL NORTHWOOD

ARCTIC FOX NXT

**FIFTH WHEELS &
TRAVEL TRAILERS**



ARCTIC FOX
NXT
NLW




WWW.NORTHWOODMFG.COM

NEXT LEVEL QUALITY

ARCTIC FOX NX

INTERIOR COLORS



NEXT LEVEL QUALITY

ROOF

Full Walk On Roof with
Bonded Roof Truss System

FRAME

Thick Wall Aluminum w/Solid Anchor Blocking

SLIDE OUTS

4 Seals, Dual Rack & Pinion Rams (main slides)
Insulated, Cross Ventilating Windows

FLOORS

Commercial Grade Linoleum, Fully Insulated
Tongue and Groove Plywood (not chipboard)

CHASSIS


Custom Built, Independently Tested & Certified

CABINETS

Wall & Ceiling Mounted, Face Frame Construction

INSULATION

A True 4 Season Coach



D DUAL RACK & PINION RAM MAIN SLIDE ROOM

- 22 White Accent Fiberglass Finish on Slide Out Side Wall
- 23 4 Seal System
- 24 w/Inner & Outer Bulb Seal ...including Wiper Seal
- 25 Continual Seal in Any Position ...and Outer Bulb Seals

A NORTHWOOD ROOF TRUSS SYSTEM

- 1 Heavy Gauge One Piece Roof Membrane
- 2 3/8" Plywood Sheathing (Bonded to Trusses)
- 3 R-15 Reflective 'Arctic' Foil Insulation
- 4 R-18 Dual Layer Fiberglass Insulation
- 5 Bow Style Roof Trusses (Bonded to Ceiling)
- 6 Interior Lamination Grade Luan Plywood
- 7 Designer Interior Decor Finish Paneling

B HIGH DENSITY ONE PIECE LAMINATED WALLS

- 9 Designer Interior Decor Finish Paneling
- 10 Heavy Gauge Fully Welded Aluminum Superstructure
- 11 Solid Wood Fill - Full Thread Depth Anchor Blocking
- 12 Virgin 2 lb Rigid Dense Block Foam Insulation
- 13 Steel Inlaid Bonderizer Anchor Strips
- 14 Lamination Grade Luan Plywood Exterior Wall Layer
- 15 Second Luan Layer
- 16 Corona Treated High Durability Fiberglass Outer Layer

Arctic Fox is a True Four Season Coach

C ULTIMATE DURABILITY FLOOR STRUCTURE

- 18 Commercial Grade Linoleum with 20 mil Surface
- 19 5/8" T&G Plywood Decking (not chipboard)
- 20 R-7 Residential Grade Fiberglass Insulation
- 21 Reinforced Woven Highway Moisture Barrier

Our Northwood Built Chassis are Independently Tested & Certified by Pacific West Associates, Inc.

E MORE ABSOLUTE NORTHWOOD QUALITY FEATURES

- 26 Northwood Built Ironhorse Chassis
- 27 R-7 Residential Quality Formaldehyde Free Fiberglass Insulation
- 28 Corrugated Underbelly Panels
- 29 Heated and Insulated Large Capacity Holding Tanks
- 30 Easy Lube Axles and Shocks
- 31 Heavy Duty Radial Tires
- 32 Sealed All Metal Heat Ducts
- 33 Aerodynamic Fiberglass Front Cap
- 34 Mor/ryde RPB pin box
- 35 All Foam Condensation Resistant A/C Ducts
- 36 Extra Large 'Starlite' Bedroom Skylight
- 37 Large Skylight
- 38 Hi Output Roof Mount A/C
- 39 Roto Molded High Durability Wheel Skirts
- 40 Diamond Scored Sidewall Skirts
- 41 Front Plate Gravel Guard



What is **ABSOLUTE** NORTHWOOD?



Our Commitment to:
**QUALITY
STRENGTH
DURABILITY**

When you purchase an Arctic Fox, you are investing in the best quality materials, construction and craftsmanship. That is why the resale value in an Arctic Fox remains higher, and your investment retains its value longer. If you ever decide to trade in your Fox, you will get top dollar. That is why you don't see many used Arctic Foxes on the market, folks buy them up as quickly as they become available because Arctic Fox has a reputation for durability and longevity.

 **CHASSIS**
Custom Built, Tested, Certified


 **FRAME**
Thick Wall Aluminum w/Solid Anchor Blocking

 **ROOF**
Full Walk On, Bonded Roof Truss System

 **CABINETS**
Wall & Ceiling Mounted, Face Frame Construction


 **INSULATION**
A True 4 Season Coach

NORTHWOOD BUILT CERTIFIED CHASSIS



WE BUILD OUR OWN HEAVY DUTY STRUCTURAL STEEL OFF-ROAD CHASSIS

We are one of the few manufacturers that build their own chassis. The name NORTHWOOD is known throughout the industry for quality chassis and we certify ours through an independent testing laboratory for quality assurance.




THICK WALL TUBULAR ALUMINUM SUPERSTRUCTURE

.060"-.125"
(Up to 1/8" Thick)
heavy gauge thick
wall aluminum
tubing in our
travel trailers
& fifth wheels.



SOLID CORE ANCHOR BLOCKING AND CONTINUOUS WELDS



Now that's an **ABSOLUTE**
Quality Superstructure!

BONDED ROOF TRUSS/ FULL WALK-ON ROOF

BONDED ROOF TRUSS SYSTEM WITH CATHEDRAL ARCHED CEILING

UP TO 4" OF EXTRA HEADROOM

The Northwood Bonded Roof Truss System bonds all the components of the roof structure together as a unit. The ceiling, trusses and roof plywood are unified in a bonded system that gives superior load distribution and maximum load bearing capacity.

Top quality exterior grade plywood panels are bonded to the trusses and a thick one piece roofing membrane is then applied for a durable, long lasting seal to protect you and your coach from the elements.



Northwood's Bow Trusses

5-1/2 inch center height gives the roof plenty of runoff slope to eliminate standing water.



CUSTOM BUILT FACE FRAME CABINETS

CABINETRY W/SOLID WOOD DOORS,
BUILT USING RESIDENTIAL FACE FRAME
CONSTRUCTION METHODS &
INTEGRATED WITH THE WALL & CEILING.

BEAUTIFUL & STRONG



Solid Wood
cabinet doors ensure
lasting beauty and
rugged strength.



Face Frame
construction gives our
cabinets 'high end'
residential quality.



Structurally Integrated
cabinetry is
anchored to the
walls and ceiling
structure of our
coaches making both
the RV and the
cabinets stronger.

A TRUE FOUR SEASON ALL CONDITIONS UNIT




HEATED ENCLOSED HOLDING TANKS & DUMP VALVES DESIGNED FOR COLD NORTHERN & HOT SOUTHERN CLIMATES





Northwood builds true 4-Season Coaches. Our fully insulated holding tank area circulates warm air around the suspended tanks providing the best protection from freezing. Our knife valves are also enclosed to keep them from freezing.

Our 4-Season coaches are insulated with various types of residential quality Rigid Foam, Batten & Reflective Foil insulation to protect you from the winter cold & summer heat.





NXT



NORTHWOOD

NEXT LEVEL QUALITY

ARCTIC FOX NXT TRAVEL TRAILERS



ARCTIC FOX NXT 5TH WHEELS

Standard Features

Northwood Built Ironhorse Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
Corona Treated Fiberglass
Laminated, Multi-Layered Substrate Walls & Floor
High Density Block Foam Insulation
Wide-Body Floorplan / Dinette Slide
E-Z Lube Axles w/ Nev-R Adjust Forward, Self Adjusting Brakes
MORyde CRE-3000 Suspension / Stabilizer Jacks
Adjustable Height Coupler
16" Aluminum Wheels / Tires & White Mod Spare
MORyde Step Above w/ Flip Tread / Ebike Charging Station
Four Seasons Insulation With R-18 Ceiling
R-15 Reflective Foil Insulation in Roof / Slide
Heated Holding Tanks / Cathedral Arched Ceiling
Aerodynamic One Piece Front Cap w/ BackRoad Armor
2" Receiver Hitch
Easy Access LP Cover / Diamond Plate Bumper Wrap
LED Interior & Exterior Lighting / Rear View Camera Ready
Exterior HD Ladder / Omni-Directional TV Antenna
SLAM Latch Luggage Doors / Magnetic Lugg Door Catches
LPG Quick Connect & Black Water Flush System
All-In Inverter Ready / Entry Door Friction Hinge
Exterior Shower / Motion Sensor Lights in Pass-thru
10 Gal DSI Gas/Elect Quick Recovery Water Heater
13.5m BTU Air Conditioner w/ Condensation-Resistant Ducting
12V LED Awning w/ Adjustable Pitch & Weatherguard

SolIX 4 - 400 Watt Solar Package
12-Volt Power Tongue Jack
Outside Speakers/Battery Disconnect
Frameless Thermal Pane Windows
Satellite Ready
Interior Command Center
Roller Bearing Drawer Glides
Slow Rise Night Shades w/ Magnetic Catches
12v LED Smart TV & AM/FM Stereo w/ Bluetooth
Smoke, LPG & CO Leak Detectors
Charge Wizard w/ Li Switch / Digital Thermostat
Premium Vent - Kitchen (Exhaust Only)
Solid Surface Kitchen Countertops
Custom One Piece Formed Countertops & Dinette Table
10 Cubic Foot 12 Volt Refrigerator
Solid Surface Bathroom Countertops w/ SS Sink
Residential-style Microwave w/ Air Fryer
Premium Fan Vent (Bedroom)
Porcelain, Foot-Pedal Toilet / Bath Skylight
Premium Fan Vent - Bathroom (Exhaust Only)
TruRest Ultra Quilted Memory Foam Pillow-top w/ Bedspring
Recessed Storage Headboard
USB Charging Ports & 110 Outlets on Both Sides of Bed

Options

Slide-Out Topper
15K Low Pro Air Conditioner w/ Ducting
15K Air Conditioner w/ Ducting
Holding Tank Heat Pads (All Tanks)
Powered Scissor Jacks, Front and Rear
PWR Dual Motor Sliding Stab Jacks, Front & Rear
Onan LP Gen (22GT, 25RB)
SolIX 6 - +200 Watts of Solar
SolIX 8 - +400 Watts of Solar
SolIX 10 - +600 Watts of Solar (26MK, 27SX)
400AH Lithium Battery w/ C4 Monitor
2,000 Watt Inverter w/ Trans Switch
3,000 Watt Inverter w/ 400AH Lithium Battery
FoxForward Multi-plex System (Must Add Li Battery)
100AH Lithium Battery
Dual 100AH Lithium Batteries w/ C4 Monitor
5 Point Leveling System
Winegard Carryout G2+ Sat Dish
RV BBQ
Rear View Camera
Gateway Router

Standard Features

Northwood Built Ironhorse Chassis
Fully Welded, Thick-Wall Aluminum Frame Construction
Corona Treated Fiberglass
Laminated, Multi-Layered Substrate Walls & Floor
High Density Block Foam Insulation
Wide-Body Floorplan/MORyde Step Above w/ Flip Tread
E-Z Lube Axles / Ebike Charging Station
MORyde AllTrek 4000 Suspension
16" NXT Aluminum Wheels / Tires & Black Mod Spare
MORyde RPB Pin Box / Leveling System - HD
Four Seasons Insulation With R-18 Ceiling
R-15 Reflective Foil Insulation in Roof / Slides
Heated Holding Tanks / Cathedral Arched Ceiling
Aerodynamic One Piece Front Cap
2 Independently Switched LED Hitch Lights
Fiberglass Rear Cap / LED Cap Accent Lights
LED Interior & Exterior Lighting / Rear View Camera Ready
Exterior HD Ladder / SolIX 4 - 400 Watt Solar Package
Exterior Convenience Center
SLAM Latch Luggage Doors
Black Water Flush System
Entry Door Friction Hinge / Motion Sensor Lights in Pass-thru
Exterior Shower / 2" Receiver Hitch
16 Gal DSI Gas/Elect Quick Recovery Water Heater
Low Pro AC w/ Condensation-Resistant Ducting
12V LED Awning w/ Adjustable Pitch & Weatherguard
Omni-Directional TV Antenna
Outside Speakers/Battery Disconnect
Frameless Thermal Pane Windows w/ Custom Wood Trim

Electric Power Reel / Digital Thermostat/50 Amp Service
Interior Command Center / Generator Ready / Satellite Ready
Floating Steps / Roller Bearing Drawer Glides
Slow Rise Night Shades w/ Magnetic Catches
12v LED Smart TV & AM/FM Stereo w/ Bluetooth
Smoke, LPG & CO Leak Detectors / Charge Wizard w/ Li Switch
Solid Surface Kitchen Countertops
1.5 Cu Ft Over-The-Range, Convection Micro w/ Range Hood
12V Refer w/ Pantry
Daylitter Kitchen Skylight w/ Shade / Ceiling Fan
Premium Fan Vent w/ Remote/Stat/Rain Sensor (Kitchen)
Solid Surface Bathroom Countertops w/ SS Sink
Exhaust Only Premium Fan Vent - Bathroom
Porcelain, Foot-Pedal Toilet / Bath Skylight
Fiberglass Shower / Glass Enclosure / Bathroom Courtesy Light
Telescoping Lighted Vanity Mirror / Lock Box
TruRest Ultra Quilted Memory Foam Pillow-top w/ Bdspring
Premium Fan Vent w/ Remote/Stat/Rain Sen (Bedroom)
USB Charging Ports & 110 Outlets on Both Sides of Bed

Options

Booth With Dream Dinette - No Charge
Surround-Soundbar
Slide Tray in Pass Thru
Slide Topper
12v LED Smart TV Bedroom
15K Low Pro Air Conditioner w/ Ducting
2nd A/C (Low Pro 13.5K) - Replaces Bdrm Fan Vent
Powered Scissor Jacks, Rear
Holding Tank Heat Pads (All Tanks)
Pwr Dual-Motor Sliding Stab Jacks, Rear
Fireplace
5.5 Onan Gold LP Generator
SolIX 6 + 200 Watts of Solar
SolIX 8 + 400 Watts of Solar
SolIX 10 + 600 Watts of Solar
Winegard Carryout G2+ Sat Dish
3000 Watt Inverter w/ 400AH Lithium Battery
FoxForward Multi-plex System---
(---Must Add Li Battery)
100AH Lithium Battery
Dual 100AH Lithium Batteries w/ C4 Monitor
400AH Lithium Battery w/ C4 Monitor
RV BBQ
Rear View Camera
Gateway Router

YOUR LOCAL DEALER:



Description

Model Number
Dry Axle Weight (approx. Lbs.)
Dry Hitch Weight (approx. Lbs.)
Net Carrying Capacity
Gross Dry Weight-Lbs (approx. Lbs.)
Gross Vehicle Weight Rating (GVWR)-Lbs.
Exterior Length (approx. w/hitch)
Exterior Height (approx. incl. AC unit)
Exterior Width (approx. w/o awning)
Tire Size
Load Range
Fresh Water w/ Water Heater (approx. gal.)
Gray Water Tank (approx. gal.)
Black Water Tank (approx. gal.)
LPG Capacity (approx. gal.)
CSA - Canadian Dealers Only
Auto Ignition Furnace (1,000 BTU's)

Travel Trailers

22GT	25RB	26KX	26MK	27SX	27RK
5235	6120	7190	7235	7125	TBD
675	815	915	1005	1000	TBD
4490	3665	4695	4760	4675	TBD
5910	6935	8105	8040	8125	TBD
10400	10600	12800	12800	12800	TBD
23'10"	27'3"	29'9"	30'7"	31'2"	32'3"
11'10"	11'10"	12'0"	12'0"	12'0"	12'0"
8'6"	8'6"	8'6"	8'6"	8'6"	8'6"
ST235	ST235	ST235	ST235	ST235	ST235
85R16	85R16	85R16	85R16	85R16	85R16
E	E	E	E	E	E
100	100	100	100	100	100
42	44	55/35	55/35	55	75
35	35	55	55	55	42
14	14	14	14	14	14
YES	YES	YES	YES	YES	YES
25	25	30	30	30	30

Fifth Wheels

275LE	295RK	295RL	305RD	325MK	365VS
8800	TBD	10190	TBD	10740	11665
2225	TBD	2545	TBD	3120	2840
2575	TBD	3065	TBD	2440	1495
11025	TBD	12735	TBD	13860	14505
13600	TBD	15800	TBD	16300	16000
29'9"	33'10"	34'7"	TBD	36'10"	39'8"
13'5"	13'6"	13'4"	TBD	13'5"	13'5"
8'6"	8'6"	8'6"	TBD	8'6"	8'6"
ST235	LT235	LT235	TBD	LT235	LT235
85R16	80R16	85R16	TBD	85R16	85R16
E	G	G	TBD	G	G
88	88	88	TBD	88	88
67/35	67/35	67	TBD	67	67
65	65	65	TBD	65	65
20	20	20	TBD	20	20
YES	YES	YES	TBD	YES	YES
35	35	35	TBD	35	35

ABSOLUTE NORTHWOOD



Send us your testimonial with your pictures and you may be featured in our future promotions.
Send your information to:
feedback@northwoodmail.com



Updated Nov. 2025

Northwood Manufacturing, 59948 Downs Rd., PO Box 3359, La Grande, OR 97850 (541) 962-6274 - www.northwoodmfg.com - Arctic Fox
Photos, drawings, dimensions and weights are presented as accurate but may differ from current production models. We continually upgrade & improve our products and reserve the right to change any specifications without notice. Please see your authorized Northwood dealer for updated information.